

## ANTIBIOTICS

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

DIFICID, FIDAXOMICIN

### **CRITERIA**

Previous trial of one of the following: vancomycin

## **ANTICONVULSANTS**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

XCOPRI, XCOPRI (250 MG DAILY DOSE), XCOPRI (350 MG DAILY DOSE)

### **CRITERIA**

Patient must have previously tried 2 generic antiepileptic therapies

## ANTICONVULSANTS - 2

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

BRIVARACETAM 100 MG TAB, BRIVARACETAM 10 MG/ML SOLUTION, BRIVARACETAM 10 MG TAB, BRIVARACETAM 25 MG TAB, BRIVARACETAM 50 MG TAB, BRIVARACETAM 75 MG TAB, BRIVIACT 100 MG TAB, BRIVIACT 10 MG/ML SOLUTION, BRIVIACT 10 MG TAB, BRIVIACT 25 MG TAB, BRIVIACT 50 MG TAB, BRIVIACT 75 MG TAB

### **CRITERIA**

Previous trial of one of the following: levetiracetam

## **ANTICONVULSANTS - 3**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

VIGABATRIN, VIGADRONE, VIGPODER

### **CRITERIA**

Previous trial of two of the following: carbamazepine, divalproex sodium, gabapentin, lamotrigine, levetiracetam, oxcarbazepine, topiramate, valproic acid, zonisamide

## **ANTICONVULSANTS - 4**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

RUFINAMIDE

### **CRITERIA**

Previous trial of one of the following: lamotrigine, valproic acid, or topiramate

## **ANTICONVULSANTS - 5**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

QUDEXY XR, TOPIRAMATE ER

### **CRITERIA**

Previous trial of one of the following: topiramate immediate release tablets/sprinkle capsules

## **ANTIDEPRESSANTS**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

MILNACIPRAN HCL, SAVELLA, SAVELLA TITRATION PACK

### **CRITERIA**

Patient must have previous trial of a TCA (e.g. amitriptyline) or SNRI (e.g. duloxetine)

## ANTIDEPRESSANTS - 2

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

TRINTELLIX

### **CRITERIA**

Previous trial of one of the following generics: paroxetine, fluoxetine, citalopram, sertraline, escitalopram, venlafaxine IR, venlafaxine ER, mirtazapine, bupropion

## **ANTIEMETICS**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

APREPITANT, DRONABINOL 10 MG CAP, DRONABINOL 2.5 MG CAP, DRONABINOL 5 MG CAP

### **CRITERIA**

Previous trial of one of the following: dexamethasone, granisetron, ondansetron

## **ANTIHISTAMINES - 2**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

CORPHENA, RYCLORA

### **CRITERIA**

Patient must have tried diphenhydramine

## **ANTIINCONTINENCE AGENT**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

GELNIQUE

### **CRITERIA**

Patient must have previously tried oxybutynin and tolterodine

## ANTIINCONTINENCE AGENT - 2

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

SOLIFENACIN SUCCINATE

### **CRITERIA**

Previous trial of one of the following: generic oxybutynin

## **ANTIMIGRAINE PREPARATIONS - 2**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

TOSYMRA

### **CRITERIA**

Patient must have previously tried two preferred generic oral triptans

## **ANTIMIGRAINE PREPARATIONS - 4**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

AMERGE, FROVA, SUMATRIPTAN SUCCINATE REFILL 6 MG/0.5ML SOLN CART, TOSYMRA, ZOLMITRIPTAN 2.5 MG SOLUTION, ZOLMITRIPTAN 5 MG SOLUTION, ZOMIG 2.5 MG SOLUTION, ZOMIG 5 MG SOLUTION

### **CRITERIA**

Patient must have previously tried two preferred generic oral triptans

## ANTIPSYCHOTICS - 2

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

FANAPT, FANAPT TITRATION PACK A, FANAPT TITRATION PACK B, FANAPT TITRATION PACK C

### **CRITERIA**

Patient must have previously tried 2 of the following: olanzapine, quetiapine (IR/ER), risperidone/ODT, aripiprazole

## ANTIPSYCHOTICS - 4

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

PALIPERIDONE ER

### **CRITERIA**

Patient must have previously tried 2 of the following: olanzapine, quetiapine (IR/ER), risperidone, aripiprazole.

## **ATTENTION-DEFICIT/HYPERACTIVITY DISORDER (ADHD)**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

ADHANSIA XR, APTENSIO XR, METHYLPHENIDATE HCL ER 18 MG TAB ER 24H, RITALIN, RITALIN LA

### **CRITERIA**

Patient must have previously tried any 2 formulary generic CNS stimulant options

## **BLOOD PRESSURE**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

TRIAMTERENE 100 MG CAP, TRIAMTERENE 50 MG CAP

### **CRITERIA**

Previous trial of BOTH of the following: amiloride and spironolactone

## **CARDIOVASCULAR - 1**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

IVABRADINE HCL

### **CRITERIA**

Patient must have previously tried any beta blocker

## **DERMATOLOGICALS**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

FLURANDRENOLIDE 0.05 % CREAM, NOLIX 0.05 % CREAM

### **CRITERIA**

Previous trial of one of the following: generic topical mometasone, triamcinolone

## DIABETES

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

JANUMET, JANUMET XR, JANUVIA, PIOGLITAZONE HCL-GLIMEPIRIDE, PIOGLITAZONE HCL-METFORMIN HCL, SAXAGLIPTIN HCL, TRIJARDY XR

### **CRITERIA**

Previous trial of one of the following: metformin, a sulfonylurea (glimepiride, glipizide, glyburide, tolbutamide) or combination product containing metformin and a sulfonylurea.

## DIABETES - 2

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

GLYXAMBI

### **CRITERIA**

Previous trial of one of the following: metformin, a sulfonylurea (glimepiride, glipizide, glyburide, tolbutamide), pioglitazone or combination product containing 2 of the aforementioned products

## GOUT - 2

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

FEBUXOSTAT

### **CRITERIA**

Patient must have previously tried allopurinol

## **HYPNOTICS - 1**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

EDLUAR, ZOLPIMIST

### **CRITERIA**

Patient must have previously tried zolpidem, zaleplon, or eszopiclone

## **IMMUNOSUPPRESSIVES**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

ASTAGRAF XL, ENVARSUS XR, TACROLIMUS ER

### **CRITERIA**

Patient must have previously tried generic tacrolimus.

## **IMMUNOSUPPRESSIVES - 2**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

PURIXAN

### **CRITERIA**

Previous trial of one of the following: mercaptopurine tablets

## ORAL CONTRACEPTIVES

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

JOYEAUX, LEVONORGEST-ETH ESTRADIOL-IRON, MINZOYA

### **CRITERIA**

Previous trial of one of the following: generic oral contraceptive

## **PAIN - 2**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

ROXYBOND

### **CRITERIA**

Previous trial of one of the following: generic oxycodone tablets, capsules, oral solution

## **PARKINSON DISEASE**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

CARBIDOPA-LEVODOPA ER 23.75-95 MG CAP ER, CARBIDOPA-LEVODOPA ER 36.25-145 MG CAP ER, CARBIDOPA-LEVODOPA ER 48.75-195 MG CAP ER, CARBIDOPA-LEVODOPA ER 61.25-245 MG CAP ER, CREXONT, RYTARY

### **CRITERIA**

Previous trial of one of the following: IR/CR carbidopa/levodopa

## **SICKLE CELL**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

DROXIA 200 MG CAP, DROXIA 300 MG CAP

### **CRITERIA**

Trial and failure of hydroxyurea

# TESTOSTERONE

---

## **MEDICATION(S) SUBJECT TO STEP THERAPY**

DEPO-TESTOSTERONE, FORTESTA, METHYLTESTOSTERONE 10 MG CAP, NATESTO, TESTONE CIK, TESTOPEL, TESTOSTERONE 100 MG PELLETT, TESTOSTERONE 50 MG/5GM (1%) GEL, TESTOSTERONE 50 MG PELLETT, TESTOSTERONE ENANTHATE 200 MG/ML SOLUTION

## **CRITERIA**

Patient must have previously tried generic testosterone cypionate and one other generic testosterone product

## TOPICAL ANTIPARASITICS

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

EURAX

### **CRITERIA**

Patient must have previously tried permethrin