

ANTIARTHRITICS - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

FLECTOR, ORTHAPHEN, ORTHREXO, TORVEX

CRITERIA

Patient must have tried oral and topical diclofenac

ANTIBIOTICS

MEDICATION(S) SUBJECT TO STEP THERAPY

DIFICID, FIDAXOMICIN

CRITERIA

Previous trial of one of the following: vancomycin

ANTICONVULSANTS

MEDICATION(S) SUBJECT TO STEP THERAPY

XCOPRI, XCOPRI (250 MG DAILY DOSE), XCOPRI (350 MG DAILY DOSE)

CRITERIA

Patient must have previously tried 2 generic antiepileptic therapies

ANTICONVULSANTS - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

BRIVARACETAM 100 MG TAB, BRIVARACETAM 10 MG/ML SOLUTION, BRIVARACETAM 10 MG TAB, BRIVARACETAM 25 MG TAB, BRIVARACETAM 50 MG TAB, BRIVARACETAM 75 MG TAB, BRIVIACT 100 MG TAB, BRIVIACT 10 MG/ML SOLUTION, BRIVIACT 10 MG TAB, BRIVIACT 25 MG TAB, BRIVIACT 50 MG TAB, BRIVIACT 75 MG TAB

CRITERIA

Previous trial of one of the following: levetiracetam

ANTICONVULSANTS - 3

MEDICATION(S) SUBJECT TO STEP THERAPY

VIGABATRIN, VIGADRONE, VIGPODER

CRITERIA

Previous trial of two of the following: carbamazepine, divalproex sodium, gabapentin, lamotrigine, levetiracetam, oxcarbazepine, topiramate, valproic acid, zonisamide

ANTICONVULSANTS - 4

MEDICATION(S) SUBJECT TO STEP THERAPY

RUFINAMIDE

CRITERIA

Previous trial of one of the following: lamotrigine, valproic acid, or topiramate

ANTICONVULSANTS - 5

MEDICATION(S) SUBJECT TO STEP THERAPY

TOPIRAMATE ER

CRITERIA

Previous trial of one of the following: topiramate immediate release tablets/sprinkle capsules

ANTIDEPRESSANTS

MEDICATION(S) SUBJECT TO STEP THERAPY

SAVELLA, SAVELLA TITRATION PACK

CRITERIA

Patient must have previous trial of a TCA (e.g. amitriptyline) or SNRI (e.g. duloxetine)

ANTIDEPRESSANTS - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

TRINTELLIX

CRITERIA

Previous trial of one of the following generics: paroxetine, fluoxetine, citalopram, sertraline, escitalopram, venlafaxine IR, venlafaxine ER, mirtazapine, bupropion

ANTIEMETICS

MEDICATION(S) SUBJECT TO STEP THERAPY

APREPITANT, DRONABINOL

CRITERIA

Previous trial of one of the following: dexamethasone, granisetron, ondansetron

ANTIINCONTINENCE AGENT - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

SOLIFENACIN SUCCINATE

CRITERIA

Previous trial of one of the following: generic oxybutynin

ANTIMIGRAINE PREPARATIONS - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

TOSYMRA

CRITERIA

Patient must have previously tried two preferred generic oral triptans

ANTIMIGRAINE PREPARATIONS - 4

MEDICATION(S) SUBJECT TO STEP THERAPY

SUMATRIPTAN SUCCINATE REFILL 6 MG/0.5ML SOLN CART, TOSYMRA, ZOLMITRIPTAN 5 MG SOLUTION

CRITERIA

Patient must have previously tried two preferred generic oral triptans

ANTIPSYCHOTICS - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

FANAPT, FANAPT TITRATION PACK A, FANAPT TITRATION PACK C

CRITERIA

Patient must have previously tried 2 of the following: olanzapine, quetiapine (IR/ER), risperidone/-ODT, aripiprazole

ANTIPSYCHOTICS -4

MEDICATION(S) SUBJECT TO STEP THERAPY

FETZIMA TITRATION

CRITERIA

Patient must have previously tried 2 of the following: duloxetine, venlafaxine, desvenlafaxine

ANTIPSYCHOTICS - 4

MEDICATION(S) SUBJECT TO STEP THERAPY

PALIPERIDONE ER

CRITERIA

Patient must have previously tried 2 of the following: olanzapine, quetiapine (IR/ER), risperidone, aripiprazole.

ATTENTION-DEFICIT/HYPERACTIVITY DISORDER (ADHD)

MEDICATION(S) SUBJECT TO STEP THERAPY

AZSTARYS, METHYLPHENIDATE HCL ER 18 MG TAB ER 24H, METHYLPHENIDATE HCL ER (OSM) 72 MG TAB ER, RITALIN 5 MG TAB

CRITERIA

Patient must have previously tried any 2 formulary generic CNS stimulant options

BLOOD PRESSURE

MEDICATION(S) SUBJECT TO STEP THERAPY

TRIAMTERENE 100 MG CAP, TRIAMTERENE 50 MG CAP

CRITERIA

Previous trial of BOTH of the following: amiloride and spironolactone

BRONCHIAL DILATORS

MEDICATION(S) SUBJECT TO STEP THERAPY

ZILEUTON ER

CRITERIA

Patient must have previously tried generic montelukast or zafirlukast

CARDIOVASCULAR - 1

MEDICATION(S) SUBJECT TO STEP THERAPY

IVABRADINE HCL

CRITERIA

Patient must have previously tried any beta blocker

DERMATOLOGICALS - 3

MEDICATION(S) SUBJECT TO STEP THERAPY

CALCIPOTRIENE-BETAMETH DIPROP 0.005-0.064 % SUSPENSION

CRITERIA

Previous trial of one of the following: generic topical corticosteroid (e.g., triamcinolone, fluocinolone, mometasone, betamethasone)

DIABETES

MEDICATION(S) SUBJECT TO STEP THERAPY

JANUMET, JANUMET XR, JANUVIA, PIOGLITAZONE HCL-GLIMEPIRIDE, PIOGLITAZONE HCL-METFORMIN HCL, SAXAGLIPTIN HCL, TRIJARDY XR

CRITERIA

Previous trial of one of the following: metformin, a sulfonylurea (glimepiride, glipizide, glyburide, tolbutamide) or combination product containing metformin and a sulfonylurea.

DIABETES - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

GLYXAMBI

CRITERIA

Previous trial of one of the following: metformin, a sulfonylurea (glimepiride, glipizide, glyburide, tolbutamide), pioglitazone or combination product containing 2 of the aforementioned products

GOUT - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

FEBUXOSTAT

CRITERIA

Patient must have previously tried allopurinol

HYPNOTICS - 1

MEDICATION(S) SUBJECT TO STEP THERAPY

DAYVIGO

CRITERIA

Patient must have previously tried zolpidem, zaleplon, or eszopiclone

IMMUNOSUPPRESSIVES

MEDICATION(S) SUBJECT TO STEP THERAPY

ASTAGRAF XL

CRITERIA

Patient must have previously tried generic tacrolimus.

IMMUNOSUPPRESSIVES - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

PURIXAN

CRITERIA

Previous trial of one of the following: mercaptopurine tablets

MENOPAUSE

MEDICATION(S) SUBJECT TO STEP THERAPY

PAROXETINE MESYLATE

CRITERIA

Previous trial of both of the following: paroxetine tablets/oral suspension and venlafaxine

ORAL CONTRACEPTIVES

MEDICATION(S) SUBJECT TO STEP THERAPY

JOYEAUX, LEVONORGEST-ETH ESTRADIOL-IRON, MINZOYA

CRITERIA

Previous trial of one of the following: generic oral contraceptive

PARKINSON DISEASE

MEDICATION(S) SUBJECT TO STEP THERAPY

CARBIDOPA-LEVODOPA ER 23.75-95 MG CAP ER, CARBIDOPA-LEVODOPA ER 36.25-145 MG CAP ER, CARBIDOPA-LEVODOPA ER 48.75-195 MG CAP ER, CARBIDOPA-LEVODOPA ER 61.25-245 MG CAP ER

CRITERIA

Previous trial of one of the following: IR/CR carbidopa/levodopa

PSORIASIS

MEDICATION(S) SUBJECT TO STEP THERAPY

EUCRISA

CRITERIA

Patient must have tried a topical corticosteroid or pimecrolimus.

SICKLE CELL

MEDICATION(S) SUBJECT TO STEP THERAPY

DROXIA 200 MG CAP, DROXIA 300 MG CAP

CRITERIA

N/A

TESTOSTERONE

MEDICATION(S) SUBJECT TO STEP THERAPY

DEPO-TESTOSTERONE, METHYLTESTOSTERONE 10 MG CAP, TESTONE CIK,
TESTOSTERONE 100 MG PELLET, TESTOSTERONE 50 MG/5GM (1%) GEL,
TESTOSTERONE 50 MG PELLET, TESTOSTERONE ENANTHATE 200 MG/ML SOLUTION

CRITERIA

Patient must have previously tried generic testosterone cypionate and one other generic testosterone product