

ANTIARTHRITICS - 1

MEDICATION(S) SUBJECT TO STEP THERAPY

INFLATHERM

CRITERIA

Patient must have tried individual components (diclofenac sodium and trolamine salicylate)

ANTIARTHRITICS - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

FENOVAR, FLECTOR, ORTHAPHEN, ORTHREXO, TORVEX, VAROPHEN

CRITERIA

Patient must have tried oral and topical diclofenac

ANTIBIOTICS

MEDICATION(S) SUBJECT TO STEP THERAPY

DIFICID, FIDAXOMICIN

CRITERIA

Previous trial of one of the following: vancomycin

ANTICONVULSANTS

MEDICATION(S) SUBJECT TO STEP THERAPY

XCOPRI, XCOPRI (250 MG DAILY DOSE), XCOPRI (350 MG DAILY DOSE)

CRITERIA

Patient must have previously tried 2 generic antiepileptic therapies

ANTICONVULSANTS - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

BRIVARACETAM 100 MG TAB, BRIVARACETAM 10 MG/ML SOLUTION, BRIVARACETAM 10 MG TAB, BRIVARACETAM 25 MG TAB, BRIVARACETAM 50 MG TAB, BRIVARACETAM 75 MG TAB, BRIVIACT 100 MG TAB, BRIVIACT 10 MG/ML SOLUTION, BRIVIACT 10 MG TAB, BRIVIACT 25 MG TAB, BRIVIACT 50 MG TAB, BRIVIACT 75 MG TAB

CRITERIA

Previous trial of one of the following: levetiracetam

ANTICONVULSANTS - 3

MEDICATION(S) SUBJECT TO STEP THERAPY

VIGABATRIN, VIGADRONE, VIGPODER

CRITERIA

Previous trial of two of the following: carbamazepine, divalproex sodium, gabapentin, lamotrigine, levetiracetam, oxcarbazepine, topiramate, valproic acid, zonisamide

ANTICONVULSANTS - 4

MEDICATION(S) SUBJECT TO STEP THERAPY

RUFINAMIDE

CRITERIA

Previous trial of one of the following: lamotrigine, valproic acid, or topiramate

ANTICONVULSANTS - 5

MEDICATION(S) SUBJECT TO STEP THERAPY

QUDEXY XR, TOPIRAMATE ER, TROKENDI XR

CRITERIA

Previous trial of one of the following: topiramate immediate release tablets/sprinkle capsules

ANTIDEPRESSANTS

MEDICATION(S) SUBJECT TO STEP THERAPY

SAVELLA, SAVELLA TITRATION PACK

CRITERIA

Patient must have previous trial of a TCA (e.g. amitriptyline) or SNRI (e.g. duloxetine)

ANTIDEPRESSANTS - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

TRINTELLIX

CRITERIA

Previous trial of one of the following generics: paroxetine, fluoxetine, citalopram, sertraline, escitalopram, venlafaxine IR, venlafaxine ER, mirtazapine, bupropion

ANTIEMETICS

MEDICATION(S) SUBJECT TO STEP THERAPY

APREPITANT, DRONABINOL

CRITERIA

Previous trial of one of the following: dexamethasone, granisetron, ondansetron

ANTIHISTAMINES - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

CORPHENA, RYCLORA

CRITERIA

Patient must have tried diphenhydramine

ANTIINCONTINENCE AGENT

MEDICATION(S) SUBJECT TO STEP THERAPY

GELNIQUE

CRITERIA

Patient must have previously tried oxybutynin and tolterodine

ANTIINCONTINENCE AGENT - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

SOLIFENACIN SUCCINATE

CRITERIA

Previous trial of one of the following: generic oxybutynin

ANTIMIGRAINE PREPARATIONS - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

TOSYMRA

CRITERIA

Patient must have previously tried two preferred generic oral triptans

ANTIMIGRAINE PREPARATIONS - 4

MEDICATION(S) SUBJECT TO STEP THERAPY

AMERGE, FROVA, SUMATRIPTAN SUCCINATE REFILL 6 MG/0.5ML SOLN CART, TOSYMRA, ZOLMITRIPTAN 2.5 MG SOLUTION, ZOLMITRIPTAN 5 MG SOLUTION, ZOMIG 2.5 MG SOLUTION, ZOMIG 5 MG SOLUTION

CRITERIA

Patient must have previously tried two preferred generic oral triptans

ANTIPSYCHOTICS - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

FANAPT, FANAPT TITRATION PACK A, FANAPT TITRATION PACK B, FANAPT TITRATION PACK C

CRITERIA

Patient must have previously tried 2 of the following: olanzapine, quetiapine (IR/ER), risperidone/ODT, aripiprazole

ANTIPSYCHOTICS -4

MEDICATION(S) SUBJECT TO STEP THERAPY

FETZIMA TITRATION

CRITERIA

Patient must have previously tried 2 of the following: duloxetine, venlafaxine, desvenlafaxine

ANTIPSYCHOTICS - 4

MEDICATION(S) SUBJECT TO STEP THERAPY

PALIPERIDONE ER

CRITERIA

Patient must have previously tried 2 of the following: olanzapine, quetiapine (IR/ER), risperidone, aripiprazole.

ANTIRHEUMATICS

MEDICATION(S) SUBJECT TO STEP THERAPY

RASUVO

CRITERIA

Previous trial of one of the following: methotrexate

ATTENTION-DEFICIT/HYPERACTIVITY DISORDER (ADHD)

MEDICATION(S) SUBJECT TO STEP THERAPY

ADHANSIA XR, APTENSIO XR, AZSTARYS, COTEMPLA XR-ODT, JORNAY PM, METHYLPHENIDATE HCL ER 18 MG TAB ER 24H, METHYLPHENIDATE HCL ER (OSM) 45 MG TAB ER, METHYLPHENIDATE HCL ER (OSM) 63 MG TAB ER, METHYLPHENIDATE HCL ER (OSM) 72 MG TAB ER, RELEXXII 45 MG TAB ER, RELEXXII 63 MG TAB ER, RELEXXII 72 MG TAB ER, RITALIN, RITALIN LA

CRITERIA

Patient must have previously tried any 2 formulary generic CNS stimulant options

ATTENTION-DEFICIT/HYPERACTIVITY DISORDER (ADHD) - QUILLICHEW, QUILLIVANT

MEDICATION(S) SUBJECT TO STEP THERAPY

QUILLICHEW ER, QUILLIVANT XR

CRITERIA

Patient must have previously tried an extended release generic stimulant.

BLOOD PRESSURE

MEDICATION(S) SUBJECT TO STEP THERAPY

TRIAMTERENE 100 MG CAP, TRIAMTERENE 50 MG CAP

CRITERIA

Previous trial of BOTH of the following: amiloride and spironolactone

BRONCHIAL DILATORS

MEDICATION(S) SUBJECT TO STEP THERAPY

ZILEUTON ER

CRITERIA

Patient must have previously tried generic montelukast or zafirlukast

CARDIOVASCULAR - 1

MEDICATION(S) SUBJECT TO STEP THERAPY

IVABRADINE HCL

CRITERIA

Patient must have previously tried any beta blocker

DERMATOLOGICALS

MEDICATION(S) SUBJECT TO STEP THERAPY

FLURANDRENOLIDE 0.05 % CREAM, NOLIX 0.05 % CREAM

CRITERIA

Previous trial of one of the following: generic topical mometasone, triamcinolone

DERMATOLOGICALS - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

ALA SCALP, HYDROCORTISONE 2 % LOTION

CRITERIA

Previous trial of one of the following: generic hydrocortisone 2.5% lotion

DERMATOLOGICALS - 3

MEDICATION(S) SUBJECT TO STEP THERAPY

CALCIPOTRIENE-BETAMETH DIPROP

CRITERIA

Previous trial of one of the following: generic topical corticosteroid (e.g., triamcinolone, fluocinolone, mometasone, betamethasone)

DIABETES

MEDICATION(S) SUBJECT TO STEP THERAPY

JANUMET, JANUMET XR, JANUVIA, PIOGLITAZONE HCL-GLIMEPIRIDE, PIOGLITAZONE HCL-METFORMIN HCL, SAXAGLIPTIN HCL, TRIJARDY XR

CRITERIA

Previous trial of one of the following: metformin, a sulfonylurea (glimepiride, glipizide, glyburide, tolbutamide) or combination product containing metformin and a sulfonylurea.

DIABETES - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

GLYXAMBI

CRITERIA

Previous trial of one of the following: metformin, a sulfonylurea (glimepiride, glipizide, glyburide, tolbutamide), pioglitazone or combination product containing 2 of the aforementioned products

EPILEPSY - 1

MEDICATION(S) SUBJECT TO STEP THERAPY

GRALISE 300 MG TAB, GRALISE 450 MG TAB, GRALISE 600 MG TAB, GRALISE 750 MG TAB,
GRALISE 900 MG TAB

CRITERIA

Patient must have previously tried gabapentin

GOUT - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

FEBUXOSTAT

CRITERIA

Patient must have previously tried allopurinol

HYPNOTICS - 1

MEDICATION(S) SUBJECT TO STEP THERAPY

DAYVIGO, EDLUAR, ZOLPIMIST

CRITERIA

Patient must have previously tried zolpidem, zaleplon, or eszopiclone

IMMUNOSUPPRESSIVES

MEDICATION(S) SUBJECT TO STEP THERAPY

ASTAGRAF XL, ENVARSUS XR

CRITERIA

Patient must have previously tried generic tacrolimus.

IMMUNOSUPPRESSIVES - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

PURIXAN

CRITERIA

Previous trial of one of the following: mercaptopurine tablets

MENOPAUSE

MEDICATION(S) SUBJECT TO STEP THERAPY

PAROXETINE MESYLATE

CRITERIA

Previous trial of both of the following: paroxetine tablets/oral suspension and venlafaxine

ORAL CONTRACEPTIVES

MEDICATION(S) SUBJECT TO STEP THERAPY

JOYEAUX, LEVONORGEST-ETH ESTRADIOL-IRON, MINZOYA

CRITERIA

Previous trial of one of the following: generic oral contraceptive

PAIN

MEDICATION(S) SUBJECT TO STEP THERAPY

NAPROXEN-ESOMEPRAZOLE MG

CRITERIA

Patient must have previously tried and failed individual ingredients (naproxen and esomeprazole)

PAIN - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

ROXYBOND

CRITERIA

Previous trial of one of the following: generic oxycodone tablets, capsules, oral solution

PAIN - 3

MEDICATION(S) SUBJECT TO STEP THERAPY

LICART

CRITERIA

Previous trial of two of the following: oral, topical RX NSAIDs (e.g., diclofenac, naproxen, meloxicam, indomethacin)

PARKINSON DISEASE

MEDICATION(S) SUBJECT TO STEP THERAPY

CARBIDOPA-LEVODOPA ER 23.75-95 MG CAP ER, CARBIDOPA-LEVODOPA ER 36.25-145 MG CAP ER, CARBIDOPA-LEVODOPA ER 48.75-195 MG CAP ER, CARBIDOPA-LEVODOPA ER 61.25-245 MG CAP ER, CREXONT, RYTARY

CRITERIA

Previous trial of one of the following: IR/CR carbidopa/levodopa

PSORIASIS

MEDICATION(S) SUBJECT TO STEP THERAPY

EUCRISA

CRITERIA

Patient must have tried a topical corticosteroid or pimecrolimus.

SICKLE CELL

MEDICATION(S) SUBJECT TO STEP THERAPY

DROXIA 200 MG CAP, DROXIA 300 MG CAP

CRITERIA

N/A

SLEEP: BELSOMRA

MEDICATION(S) SUBJECT TO STEP THERAPY

BELSOMRA

CRITERIA

Patient must have previously tried zolpidem, zaleplon, or eszopiclone AND Dayvigo

TESTOSTERONE

MEDICATION(S) SUBJECT TO STEP THERAPY

DEPO-TESTOSTERONE, FORTESTA, METHYLTESTOSTERONE 10 MG CAP, NATESTO, TESTONE CIK, TESTOPEL, TESTOSTERONE 100 MG PELLETT, TESTOSTERONE 50 MG/5GM (1%) GEL, TESTOSTERONE 50 MG PELLETT, TESTOSTERONE ENANTHATE 200 MG/ML SOLUTION

CRITERIA

Patient must have previously tried generic testosterone cypionate and one other generic testosterone product

TOPICAL ANESTHETICS

MEDICATION(S) SUBJECT TO STEP THERAPY

LMR PLUS, ZILACAINE PATCH

CRITERIA

Patient must have tried topical lidocaine

TOPICAL ANTI-INFLAMMATORY - 2

MEDICATION(S) SUBJECT TO STEP THERAPY

FLUOVIX, FLUOVIX PLUS

CRITERIA

Patient must have tried generic fluocinonide